



Article

# Income Disparity and Mental Wellbeing among Adults in Semi-Urban and Rural Areas in Malaysia: The Mediating Role of Social Capital

Mas Ayu Said <sup>1,2,†</sup>, Govindamal Thangiah <sup>1,3,†</sup>, Hazreen Abdul Majid <sup>1,4,5</sup>, Rozmi Ismail <sup>6</sup>, Tan Maw Pin <sup>7</sup>, Hussein Rizal <sup>1,5</sup>, Mohd Azlan Shah Zaidi <sup>8</sup>, Daniel Reidpath <sup>3,9</sup> and Tin Tin Su <sup>3,5,\*</sup>

- Department of Social and Preventive Medicine, Faculty of Medicine, University of Malaya, Kuala Lumpur 50603, Malaysia; mas@ummc.edu.my (M.A.S.); govindamal.t@gmail.com (G.T.); hazreen@ummc.edu.my (H.A.M.); husseinriz@um.edu.my (H.R.)
- Centre for Epidemiology and Evidence-Based Practice, Department of Social and Preventive Medicine, Faculty of Medicine, University of Malaya, Kuala Lumpur 50603, Malaysia
- South East Asia Community Observatory (SEACO) & Global Public Health, Jeffrey Cheah School of Medicine and Health Sciences, Monash University Malaysia, Subang Jaya 47500, Malaysia; daniel.reidpath@icddrb.org
- Department of Nutrition, Faculty of Public Health, Universitas Airlangga, Surabaya 60115, Indonesia
- Centre for Population Health, Department of Social and Preventive Medicine, Faculty of Medicine, University of Malaya, Kuala Lumpur 50603, Malaysia
- <sup>6</sup> Psychology and Human Wellbeing Research Centre, Faculty of Social Sciences and Humanities, Universiti Kebangsaan Malaysia, Bangi 43600, Malaysia; rozmi@ukm.edu.my
- Department of Medicine, Faculty of Medicine, University of Malaya, Kuala Lumpur 50603, Malaysia; mptan@ummc.edu.my
- Renter for Sustainable and Inclusive Development Studies, Faculty of Economics and Management, Universiti Kebangsaan Malaysia, Bangi 43600, Malaysia; azlan@ukm.edu.my
- icddr,b, International Centre for Diarrhoeal Disease Research, Dhaka 1212, Bangladesh
- \* Correspondence: tintin.su@monash.edu; Tel.: +60-355-144-472
- † These authors contributed equally to this work.

Abstract: Mental illness is rising worldwide and is more prevalent among the older population. Among others, socioeconomic status, particularly income, has a bearing on the prevalence of mental health. However, little is known about the underlying mechanism that explains the association between income and mental health. Hence, this study seeks to examine the mediating effect of social capital on the association between income and mental illness. Cross-sectional data consisting of 6651 respondents aged 55 years and above were used in this study. A validated tool known as the Depression, Anxiety and Stress Scale, 21 items (DASS-21) was applied to examine mental illness, namely depression, anxiety, and stress. The Karlson, Holm, and Breen (KHB) method was employed to assess the intervening role of social capital on the association between income and mental illness. Results showed that those who disagreed in trust within the community had the highest partial mediation percentage. Those who disagreed in reciprocity, however, had the lowest partial mediation percentage, which explained the positive association between the middle 40% (M40) of the income group and depression, anxiety, and stress. Overall, the study suggests the need to increase trust and attachment within society to curb the occurrence of depression and anxiety.

Keywords: income; mental health; social capital; mediation; older adults



Citation: Said, M.A.; Thangiah, G.; Abdul Majid, H.; Ismail, R.; Maw Pin, T.; Rizal, H.; Zaidi, M.A.S.; Reidpath, D.; Su, T.T. Income Disparity and Mental Wellbeing among Adults in Semi-Urban and Rural Areas in Malaysia: The Mediating Role of Social Capital. *Int. J. Environ. Res. Public Health* 2022, 19, 6604. https://doi.org/10.3390/ ijerph19116604

Academic Editors: Aleksandra Rogowska, Tahani K. Alshammari and Dominika Ochnik

Received: 13 April 2022 Accepted: 25 May 2022 Published: 28 May 2022

**Publisher's Note:** MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affil-



Copyright: © 2022 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https://creativecommons.org/licenses/by/4.0/).

### 1. Introduction

Mental illness is a growing global health crisis. It was ranked as the sixth highest contributor to disability-adjusted life years in 2017 [1]. Psychological distress such as major depressive disorder and generalized anxiety disorders were among the top 20 global burdens of disease and leading causes of years lived with a disability (YLDs) in 2013 [2]. This trend has only exacerbated since the onset of the COVID-19 pandemic, as the global

prevalence of anxiety and depression increased by a massive 25 percent since the first year of the pandemic [3]. Individuals with mental illness also face higher rates of physical abuse and mortality than those without. For instance, the odds of all-cause mortality are 1.7-times greater for depressed individuals than the general population [4]. Previous studies have established that, along with biological factors, social determinants also affect individual mental health [5–8].

Using data from the Health and Retirement Study, [9] evidenced a positive impact of high income on mental health by attenuating the psychosocial stress related to financial hardship. This is consistent with the findings of a study in China, which showed that high income is associated with better mental health status due to better life satisfaction, living conditions, and accessibility to health care [10]. Similarly, another study in China showed that large savings are associated with low depression levels [11]. A longitudinal study also showed that individuals with low annual household income are more likely affected by mental disorders such as anxiety than their counterparts [12]. Corroborating this, findings from several other studies also showed the same link between income and mental disorders [13,14].

However, the social selection hypothesis proposed that mental illnesses are more predisposed to low socioeconomic status (SES), owing to genetic factors, hospitalization, and loss of work [12]. In line with this, past studies showed that those diagnosed with depression or anxiety are linked with low income levels vis-à-vis those who are undiagnosed with depression or anxiety [15,16]. It was previously established that income inequality affects mental health through the material and psychosocial pathway. On one hand, the psychosocial pathway suggests that status comparison leads to poor social cohesion and low trust in the community, which causes stress. Consequently, this impacts individual's self-esteem and their health-related behaviors.

On the other hand, the material pathway proposed that poverty and deprivation are linked to high stress level, especially in societies with high inequality. These underlying mechanisms could also be explained by the status anxiety, social capital, and neo-materialist hypothesis [17–20]. While the status anxiety hypothesis proposes that unequal status order causes negative feelings such as shame and distrust, which affects mental health status, the neo-materialist hypothesis posits that variation in the availability and use of social infrastructure influences mental health [20].

In addition, the social capital hypothesis suggests that high income inequality causes status inequality, poor social cohesion, and low trust, which in turn affects health-related behaviors, access to health services and facilities, as well as psychosocial processes [20]. Social capital is a dynamic process that facilitates social integration among individuals within a community that seeks to achieve social goals [7,20]. Widening income inequality in communities erodes social capital and trustworthiness within societies through status comparison [20,21], thus creating loneliness and isolation [7].

Social participation is among the key criteria of successful aging for older adults who are often at risk of social isolation. Most older populations experience a lack of interaction with others as they age, resulting in low social capital values. With inadequate social support, the older population most likely faces depression [22]. A study on rural areas of Korea showed a positive link between low social connectedness and depression among older adults [23]. A follow-up study in the United Kingdom also showed that inconsistent social contact increases the risk of isolation and depression among the older population [24]. Consistently, several other studies also showed that high social capital among older adults in rural areas results in better mental health status [25,26].

Moreover, older adults who live in areas with greater income inequality, especially in rural areas [27], have a high risk of developing depression [28]. Income inequality also affects the social cohesion among community members [29], which in turn impacts their mental health status [20]. The paucity of studies investigating the underlying mechanism of social capital on the association between income and mental health prompts this study to probe the mediating effect of social capital on the individual level. Hence, this study

seeks to examine the mediating effect of social capital on the association between income and mental illness, specifically among those age 55 years and above living in semi-urban and rural areas of Malaysia.

### 2. Materials and Methods

The South East Asia Community Observatory (SEACO) team located at the district of Segamat, in the state of Johor, Malaysia collected the sample of this study [30]. Segamat and its five sub-districts were chosen based on the strong pre-existing relationship between the Jeffery Cheah School of Medicine and Health Sciences (JCSMHS) and the district, as well as the state health administration, which is essential to conduct this research [30]. Segamat has a marked ethnic breakdown that closely reflects the national proportions of Malays (60%), Chinese (23%), and Indians (7%), as well as an equal gender composition (male: 49%; female: 51%) [30].

# 2.1. Study Design

This study used a cross-sectional study design. A total sample of 25,512 respondents enrolled in the SEACO health survey conducted in 2013. Of this number, 6651 pieces of complete information on social capital variables were available for participants aged only above 55 years. Hence, this sample was used in the analysis of this study. All trained enumerators and staff briefed participants about the objectives of the survey conducted. Only participants who gave written consent were recruited and enrolled in this study. Respondents were approached at their respective residence to gather information on their sociodemographic background (age, gender, education, employment status, income, marital status, ethnicity), social capital, and mental health status using standardized health data collection tools. This information was recorded directly into Android mobile devices and tablets with survey forms designed in Open Data Kit (ODK). Data recorded on the tablets were then encrypted and uploaded to a secure server. The study was conducted in accordance with the Declaration of Helsinki and was approved by the Monash University Human Research Ethics Committee (2013-3837-3646).

## 2.2. Study Instrument

Mental illnesses such as depression, anxiety, and stress were used as dependent variables in this study. Depression, anxiety, and stress were assessed using the Depression, Anxiety and Stress Scale, 21 items (DASS-21). These outcome variables were further defined as dichotomous variables (0,1), where 0 is categorized as those who do not experience depression, anxiety, and stress while 1 classifies those who have mild, moderate, severe, and extremely severe depression, anxiety, and stress levels. A validated Malay version of the DASS-21 self-reported questionnaire, which was confirmed reliable and effective among Malaysians, was used to evaluate depression, anxiety, and stress [31]. The Cronbach's alpha value for overall items was very good 0.90. For the depression, anxiety, and stress scales, the values were 0.84, 0.74, and 0.79, respectively [31].

# 2.3. Explanatory Variables

# Monthly Household Income

Monthly household income groups were characterized into two categories, namely bottom 40% (B40) and middle 40% (M40), based on the income thresholds provided by the Department of Statistics Malaysia (DOSM) in 2014. There were no respondents that belonged to the top 20% (T20) income group. The B40 income group was defined as individuals with monthly household incomes below RM3860, while the M40 income group was those with a monthly household income between RM3860 and RM8319. The income category was represented in binary, whereby 0 is defined as B40 and 1 is defined as M40. Income distributions are often skewed, and they are apparent in many past works. Therefore, the use of the mean as a measure of income will not be reliable because it loses its power to produce accurate results [32]. In addition, previous studies that used mean

income often ignored the different impacts of demographic and socioeconomic variables on each income level [33]. Hence, income groups that consider the income distribution are better and more commonly used to examine income differentials.

### 2.4. Mediators

# 2.4.1. Individual Social Capital Measure

There are two distinctive notions of social capital in the literature. On one hand, Putnam considers social capital as a collective attribute that features the trust, norms, and networks within an organization [34]. On the other hand, Bordieu conceptualizes social capital as resources available to individuals within their network [34]. Hence, it is specified into two different categories, individual and aggregated levels [35]. In this study, we focused on the individual level of social capital, as it helped to avoid interpretation problems arising from measurement issues of aggregated data [36].

Moreover, since individuals are generally more involved in decisions to invest in social capital than communities, it is better to assess it at an individual level [37]. Since there is an absence on an agreed standardized measure of social capital, this study operationalized it in a way analogous to Kawachi, Kennedy [38], which focused on trust and reciprocity. Social capital is differentiated into four items, namely, reciprocity or "If I do nice things for someone, I can anticipate that they will respect and treat me just as well as I treat them", cooperation among community members or "If I see people who cooperate with each other, I also feel that I would help someone in need", trustworthiness of community or "In a difficult situation, I can count on the help from people in my local community members", and attachment to local community members or "I feel a strong attachment to my local community". The Cronbach's alpha was 0.85 for all four items.

All the social capital variables were categorized as binary variables (0,1), where 1 is defined as those who totally disagree or disagree or neither agree nor disagree in reciprocity, cooperation, trust, and attachment to local community, while 0 is classified as those who totally agree or agree in reciprocity, cooperation among community, trust in community, and attachment to local community.

# 2.4.2. Control Variables

Sociodemographic variables such as age, gender, marital status, ethnicity, educational level, and employment status were controlled for in the analysis to avoid the potential confounding effects of these variables on the association between income, social capital, and mental health status.

### 2.5. Statistical Analysis

The frequency of variables was recorded, and a Chi-Squared test was conducted to identify the presence of significant bivariate associations between the predictor variables and the depression, stress, and anxiety levels. Next, a mediation analysis was applied to investigate the mediating effect of individual social capital measures on the association between income groups and mental health status. A robust Huber-White sandwich estimator was also used to avoid heteroskedasticity issues, further contributing to the rigorousness of the model produced. All analyses were performed using STATA version 14.0 StataCorp, 2015, with a five percent and ten percent significance level.

A multiple path mediation model was deployed to assess the aim of this study. In doing so, individual social capital measures were used as the mediators in the relationship between income and depression, anxiety, and stress. This was examined controlling for the age, gender, ethnicity, marital status, education, and employment status of participants. The mediation framework was as shown in Figure 1.




Figure 1. Framework of the mediation analysis.

Since the dependent variable was dichotomous, a binary logistic regression was chosen in this study. With this, the linear effect between the independent and mediator variables on the outcome were captured. In doing so, the size of effect and scaling of parameters were affected. The Karlson, Holm, and Breen (KHB) method [39,40] was applied to conduct the mediation analysis, which decomposed the variables to adjust to the framework of nonlinear probability models (binary logistic regression). The rescaling problem was addressed by incorporating the standardized residuals of the regressor X (independent variables) on Z (mediators) in the reduced model to ensure that the estimated coefficients in the models were measured using the same scale, so that the comparison of coefficients was standardized across the regression models to eliminate the effects of conflation [39].

The mediation method was adopted because it helped explain the focal association that exists between income levels and the risk of depression, stress, and anxiety. There are two types of mediation effects, namely partial mediation and full mediation. The former arises when the *p*-value of the total, direct, and indirect effects are significant. The latter occurs when the *p*-value of direct effects are insignificant, while the *p*-value of the total and indirect effects are significant.

# 3. Results

Table 1 below presents the prevalence and descriptive statistics of the variables included in the study. The average age of the respondents in the sample was 65 years, with a standard deviation of 7.7 (mean  $\pm$  SD = 65.5  $\pm$  7.7). The sample was largely comprised of Malays (61.8%), married couples (75.2%), and B40 income groups (91.1%), which closely represented the characteristics of a semi-urban and rural population.

Table 1 also records the low shares of respondents who did suffer from self-reported depression (16.5%), stress (6.9%), and anxiety (22.4%) levels. In addition, the bivariate associations showed significant results between the demographic variables (marital status and ethnicity), socioeconomic status (income, education, employment status), individual social capital variables, and the dichotomous levels of depression, stress, and anxiety (Appendix A).

In addition, the characteristics of individuals without stress, depression, and anxiety levels included those who were widows, with other education such as vocational schools and more, were self-employed, B40, agreed with reciprocity and cooperation, and those who disagreed or were neutral in trust within the community and attachment to local community.

Individuals with mild, moderate, severe, and extremely severe stress, anxiety, and depression levels consisted of individuals who were single, had secondary educated, had under paid employment, were from the M40 income group, disagreed or were neutral in

reciprocity and cooperation, and agreed with trust within the community and attachment to local community.

**Table 1.** Sample characteristics of the semi-urban and rural community (n = 6651).

Characteristics	Prevalence, $n$ (%)	Mean $\pm$ SD		
Age (n = 6651)	6651 (100.0)	$65.5 \pm 7.7$		
Gender ( $n = 6651$ )				
Female	3556 (53.5)			
Male	3095 (46.5)			
Ethnicity ( $n = 6646$ )	,			
Malays	4111 (61.9)			
Indians	522 (7.9)			
Chinese	1957 (29.4)			
Others	56 (0.8)			
Marital Status ( $n = 6649$ )	,			
Single	167 (2.5)			
Married	5000 (75.2)			
Separated/divorced/other	105 (1.6)			
Widow	1377 (20.7)			
Education Level ( $n = 6487$ )				
None	381 (5.9)			
Primary	3822 (58.9)			
Secondary	1804 (27.8)			
Tertiary	150 (2.3)			
Others	330 (5.1)			
Employment Status ( $n = 6617$ )	000 (0.1)			
Housewife	2163 (32.7)			
Unemployed	1420 (21.5)			
Paid employment	901 (13.6)			
Pensioners	907 (13.7)			
Self employed	1226 (18.5)			
Income groups ( $n = 6145$ )	1220 (10.5)			
B40 (Less than RM3860)	6061 (99.7)			
M40 (RM3860 to RM8319)	84 (0.3)			
Individual social capital variables	04 (0.3)			
Reciprocity ( $n = 6542$ )				
Agree	4439 (67.9)			
Disagree or "neutral"	2103 (32.1)			
Cooperation ( $n = 6549$ )	2103 (32.1)			
Agree	4780 (73.0)			
Disagree or "neutral"	1769 (27.0)			
Trust in community ( $n = 6527$ )	1709 (27.0)			
Disagree or "neutral"	4290 (65.7)			
Agree	2237 (34.3)			
Attached to community ( $n = 6534$ ) Disagree or "neutral"	4176 (62 O)			
	4176 (63.9)			
Agree	2358 (36.1)	12 20 (17 90)		
Mental health (DASS-21)		12.39 (17.80)		
Depression $(n = 6601)$	EE11 (02 E)			
Normal	5511 (83.5)			
Mild and above	1090 (16.5)			
Anxiety $(n = 6606)$	E100 (EE 0)			
Normal	5128 (77.6)			
Mild and above	1478 (22.4)			
Stress $(n = 6591)$				
Normal	6135 (93.1)			
Mild and above	456 (6.9)			

Note: SD—standard deviation.

## Mediation Analysis

The results of the mediation analyses are shown in Table 2. A partial mediation was achieved for the M40 income group, as the p-values of the total and direct effects of the M40 income group on anxiety, stress, and depression were significant (p < 0.05) compared to the B40 income group. The partial mediating effects of those who disagreed or were neutral in the trust within local community members were consistently the strongest between the M40 income group and anxiety (30.8%) and depression (24.8%). However, those who disagreed or were neutral in reciprocity had the lowest partial mediation rate (Reciprocity<sub>anxiety</sub> = 22.8%; Reciprocity<sub>depression</sub> = 18.5%) on these relationships, adjusting for socio-demographic variables in this study.

**Table 2.** Mediating effects of social capital on the association between income groups and anxiety, depression, and stress.

	Mediator						
Outcome	Reciprocity	Cooperation among Community Members	Trust in Community	Attached to Local Community			
		Anxiety					
Total effect M40	0.74 *** (0.25)	0.79 *** (0.27)	0.78 *** (0.27)	0.78 *** (0.27)			
Direct effect M40	0.57 ** (0.25)	0.63 ** (0.27)	0.54 * (0.27)	0.57 ** (0.27)			
Indirect effect	0.17 ** (0.08)	0.15 (0.10)	0.24 ** (0.10)	0.21 ** (0.10)			
Mediation (%)	22.8	19.5	30.8	26.5			
Partial mediation	yes	no	yes	yes			
Full mediation	no	no	no	no			
		Depression					
Total effect M40	Total effect M40 1.01 *** (0.26)		1.07 *** (0.28)	1.08 *** (0.29)			
Direct effect M40	0.82 *** (0.26)	0.92 *** (0.28)	0.80 *** (0.28)	0.82 *** (0.29)			
Indirect effect	0.19 ** (0.08)	0.17 (0.11)	0.26 ** (0.11)	0.24 ** (0.11)			
Mediation (%)	18.5	15.3	24.8	22.6			
Partial mediation	yes	no	yes	yes			
Full mediation	no	no	no	no			
		Stress					
Total effect M40	1.28 *** (0.28)	1.34 *** (0.29)	1.34 *** (0.31)	1.31 *** (0.30)			
Direct effect M40	1.12 *** (0.28)	1.17 *** (0.29)	1.08 *** (0.31)	1.05 *** (0.30)			
Indirect effect	0.15 ** (0.07)	0.17 ** (0.10)	0.26 ** (0.12)	0.26 ** (0.11)			
Mediation (%)	12.0	12.9	19.5	19.7			
Partial mediation	yes	yes	yes	yes			
Full mediation	no	no	no	no			

Note: \*\*\*, \*\*, \* Significant at 1%, 5% and 10% significance level; B- coefficient, SE- standard error; Model is adjusted for ethnicity, marital status, age, gender, education and employment status.

Similarly, those who disagreed or were neutral in reciprocity also had the lowest mediation rate (12.0%) between the M40 income group and stress level. However, those who disagreed or were neutral in attachment to local community had the highest partial mediation percentage (19.7%) between the M40 income group and stress level. The partial mediation showed that the M40 income group had an attenuated effect on anxiety, stress, and depression once the mediators were included. The total and direct effect of the M40 income group on anxiety, depression, and stress was positive and significant for all models. The mediation effects of reciprocity, trust in community, and attachment to local community on the association between income and anxiety, depression, and stress were all present and significant (p < 0.05).

The positive impact of the total and direct effects of the M40 income group compared to the B40 income group on anxiety and depression was explained by the positive indirect effect of reciprocity, trust in community, and attachment to local community. However, the mediation effect of the cooperation among community members on the association between income and anxiety and depression was insignificant (indirect effect of cooperation $_{anxiety} = 0.15$ ; indirect effect of cooperation $_{depression} = 0.17$ ), except for its association with the link between income and stress (indirect effect of cooperation $_{stress} = 0.17$ ).

### 4. Discussion

The evidence produced in the present study show the significance of raising awareness on the importance of inculcating reciprocity, trust in community, cooperation, and attachment to local community members. The lack of support on social capital values among the M40 population engendered social segregation, which explained their lack of interaction with other members of the community. Thus, this elucidated the positive association between the M40 group and depression, anxiety, as well as stress. The study also showed that the B40 group had a better mental health status, owing to a greater social connectedness among themselves in this study.

This concurred with the findings of a study in Malaysia, which showed that social capital was high among the B40 low income group that gave rise to better mental health status [41]. Another study in the urban areas of the East coast of the Peninsula Malaysia showed that high social capital and good mental health were predominant among low income earners [42]. One explanation was that local initiatives, such as PeKa B40, mySalam, and household living aid (BSH), are continuously improved and disseminated among this group [43], more so than the M40 income group. Many of these programs are facilitated by local leaders and volunteers among these communities. This provides a platform for the continuous improvement of social capital within this population group.

Among the four individual social capital measures, those who disagreed or were neutral in their trust within their local community had the highest mediation percentage, which explained the underlying positive association between the M40 group and depression and anxiety, controlling for demographic and SES variables. This partly concurred with the outcome of a study in South Africa, which showed that lower social trust is associated with higher depression levels [44]. Similarly, findings from South Korea also showed that low interpersonal trust is positively associated with depression [45]. With respect to the association between income and mental health problems, a study in the United States, however, showed that those with low income are more at risk of mental illness than those with high income [46]. Interestingly, in Japan, an inconsistent association between income and depression was reported [17].

Results from this study also showed that those who disagreed or were neutral with reciprocity had the lowest partial mediation percentage that explicated the positive association between M40 and depression, anxiety, and stress, adjusting for demographic and SES variables. Nonetheless, a study in Japan showed that reciprocity did not modify the association between income and depression [47]. A study in South Korea showed that reciprocity was associated with new-onset depression [45]. However, another study showed that neighborhood social reciprocity is associated with better mental health status [48]. Another study also showed that the older community, who receive pensions, could maintain reciprocity, which in turn results in good mental health status [49]. Apart from that, attachment to local community also partially mediates the positive association between income and anxiety, depression, and stress. Using data from the Hamilton Household Quality of Life survey, a study showed that those with a greater sense of attachment to their neighborhood have a better mental health status [50].

Several intervention programs that aim to uplift social capital values were carried out at the individual level, community level, and a combination of both. While individual level interventions include the exchange of resources between members of a social network [51,52], community level interventions are performed to help groups organize activities and act collectively. For instance, home visitation health programs conducted for mothers with newborns within the community are based on social trust and a sense of security, where they are used as a mediator to attenuate stress levels among mothers of newborns [53]. Moreover, visiting and communicating with the elderly is another form of social capital intervention that eradicates loneliness among them at an intrapersonal level [54]. Thus, as intervening variables, the social capital variables can achieve the desired outcome. Hence, this shows the need to strengthen social capital variables, such as trust in the community, to reduce mental illness among the M40 community, as proposed in this study.

The strengths of this study include the availability of a large sample size, which helped to produce accurate findings that are generalizable to the older community in the rural and semi-urban areas of Segamat. The study also had an ethnic breakdown that closely represented the national proportion of ethnicity. However, this study consisted of some limitations that should be surmounted. These include the lack of a longitudinal assessment on the association between social capital, income, and mental health, which sheds light on the causal explanation. In addition, the dependent variable was dichotomized, as for those who do not experience depression, anxiety, and stress; and those who have mild, moderate, severe, and extremely severe depression, anxiety, and stress levels. In this way, it was not possible to distinguish between the different types of discomfort people experience. Currently, there are no normative scores for the DASS-21 in Malaysia; however, two validation studies were conducted but were not derived from representative populations [55,56], which may have led to measurement bias. Finally, the study was conducted in 2013 and did not take into account the massive effect the COVID-19 pandemic has had on mental illness among the Malaysian population. There are changes in terms of the social interaction and mental health of respondents due to the pandemic that might affect the association between income and mental illness [57].

# 5. Conclusions

Overall, the findings of this study suggest the necessity to increase awareness of the importance of social capital values, especially trust in the local community, among the M40 older community to achieve good mental health status. The M40 community who were either previously in the Top 20 or Bottom 40 population could have also faced a social status comparison, which might explain their lack of trust within the community, thus causing depression or anxiety. However, most Malaysian rural folks, especially the B40 population, enjoy better social capital such as trust, attachment to local community, and cooperation among community members without expecting anything in return, which could be a social norm among them. Several strategies, such as relational community engagement programs, which help to create opportunities for local community members to talk about trust and expectations, could be implemented to elevate the level of trustworthiness within the M40 community. Apart from that, local community members could also hold meetings to resolve conflict between each other, thus enhancing the level of trustworthiness within the community. Future studies should evaluate the trust in local community as a potentially modifiable risk factor. Moreover, the outcome from this study informs multiple stakeholders to execute proper intervention programs that would improve the social capital values among the M40 population, such as those already implemented among the B40 income group.

**Author Contributions:** Conceptualization, T.T.S., M.A.S. and H.A.M.; methodology, G.T.; validation, M.A.S., T.T.S. and H.A.M.; formal analysis, G.T.; investigation, T.T.S. and D.R.; resources, T.T.S. and D.R.; data curation, T.T.S. and D.R.; writing—original draft preparation, T.T.S., M.A.S. and G.T.; writing—review and editing, T.T.S., M.A.S., H.A.M., G.T., R.I., T.M.P., H.R., M.A.S.Z. and D.R.; visualization, G.T.; supervision, T.T.S., M.A.S. and H.A.M.; project administration, T.T.S., M.A.S., H.A.M., R.I., T.M.P. and M.A.S.Z.; funding acquisition, T.T.S., M.A.S., H.A.M. and M.A.S.Z. All authors have read and agreed to the published version of the manuscript.

**Funding:** This research was funded by the Ministry of Higher Education via the Long-Term Research Grant (LRGS) awarded to the Malaysia Research University Network (MRUN) with the grant code of LRGS/1/2016/UKM/02/1/5 (LRGS MRUN/F1/01/2019). Funding for SEACO (primary data collection) was provided by the research offices of Monash University in Australia and Malaysia; the Faculty of Medicine; Nursing and Health Sciences; the Jeffrey Cheah School of Medicine and Health Science and the Faculty of Arts. The funder played no role in the study design, data collection and analysis, decision to publish, or preparation of the manuscript.

**Institutional Review Board Statement:** The study was conducted in accordance with the Declaration of Helsinki, and approved by the Monash University Human Research Ethics Committee (2013-3837-3646).

**Informed Consent Statement:** Informed consent was obtained from all subjects involved in the study.

**Data Availability Statement:** The data presented in this study are openly available in figshare at doi:10.6084/m9.figshare.19572292 (accessed on 24 May 2022).

**Acknowledgments:** The authors express their gratitude to the members of the Scientific Advisory Group, SEACO field team, and the community of Segamat, for their commendable cooperation and support. The authors would like to thank the Ministry of Higher Education of Malaysia for funding the project under the Long-Term Research Grant Scheme (LRGS) program. Reference number: LRGS/1/2016/UKM/02/1/5 (LRGS MRUN/F1/01/2019).

Conflicts of Interest: The authors declare no conflict of interest. The funders had no role in the design of the study; in the collection, analyses, or interpretation of data; in the writing of the manuscript; or in the decision to publish the results.

Int. J. Environ. Res. Public Health **2022**, 19, 6604

# Appendix A

 Table 1. Bivariate association between stress, depression, anxiety, and other predictor variables.

Characteristics		Stress		Chi-Square	Anxiety		Chi-Square	Γ	Depression	Chi-Square
		Normal	Mild, Moderate, Severe, and Extremely Severe		Normal	Mild, Moderate, Severe, and Extremely Severe		Normal	Mild, Moderate, Severe, and Extremely Severe	
	Malay	3849 94.40%	230 5.60%	32.6 ***	3103 75.90%	987 24.10%	22.3 ***	3441 84.10%	649 15.90%	8.36 **
Ethnicity	Indian	461 88.80%	58 11.20%		404 77.70%	116 22.30%		415 79.70%	106 20.30%	
Ethnicity	Chinese	1768 91.50%	164 8.50%		1570 81.10%	365 18.90%		1602 83.00%	328 17.00%	
	Others	53 94.60%	3 5.40%		47 83.90%	9 16.10%		49 89.10%	6 10.90%	
Gender	Female	3292 93.30%	235 6.70%	0.77	2737 77.5%	794 22.5%	0.06	2941 83.3%	590 16.7%	0.21
	Male	2843 92.80%	221 7.20%		2391 77.8%	684 22.2%		2570 83.7%	500 16.3%	
	Single	146 88.50%	19 11.50%	24.3 ***	126 76.4%	39 23.6%	10.1 **	130 79.3%	34 20.7%	9.53 **
Marital	Married	4585 92.50%	371 7.50%		3816 76.8%	1154 23.2%		4118 82.9%	849 17.1%	
status	Separated/ divorced/ Other	95 91.30%	9 8.70%		81 77.9%	23 22.1%		90 85.7%	15 14.3%	
	Widow	1307 95.80%	57 4.20%		1103 80.8%	262 19.2%		1171 85.9%	192 14.1%	
Education	None	351 94.1%	22 5.9%	164.2 ***	314 83.7%	61 16.3%	34.5 ***	322 86.8%	49 13.2%	48.9 ***
Status	Primary	3624 95.5%	171 4.5%		2949 77.5%	857 22.5%		3207 84.2%	601 15.8%	

Int. J. Environ. Res. Public Health **2022**, 19, 6604

Table 1. Cont.

Characteristics		Stress		Chi-Square	Anxiety		Chi-Square	Depression		Chi-Square
		Normal	Mild, Moderate, Severe, and Extremely Severe		Normal	Mild, Moderate, Severe, and Extremely Severe		Normal	Mild, Moderate, Severe, and Extremely Severe	
	Secondary	1548 86.8%	236 13.2%		1344 75.2%	444 24.8%		1430 80.1%	356 19.9%	
	Tertiary	139 92.7%	11 7.3%		123 82.0%	27 18.0%		125 84.5%	23 15.5%	
	Other	325 99.1%	3 0.9%		287 87.5%	41 12.5%		310 94.5%	18 5.5%	
Employment Status	Housewife	2052 95.6%	95 4.4%	327.0 ***	1734 80.9%	411 19.1%	211.0 ***	1860 86.4%	293 13.6%	273.7 ***
	Unemployed	1286 91.9%	114 8.1%		995 71.1%	404 28.9%		1102 78.7%	298 21.3%	
	Paid em- ployment	719 80.2%	177 19.8%		573 63.8%	325 36.2%		610 68.0%	287 32.0%	
	Pensioners	841 94.2%	52 5.8%		752 83.6%	148 16.4%		803 89.4%	95 10.6%	
	Self employed	1213 99.1%	11 0.9%		1048 85.7%	175 14.3%		1119 91.5%	104 8.5%	
I	B40	5590 93.10%	412 6.90%	94.3 ***	4617 76.7%	1400 23.3%	19.9 ***	5001 83.2%	1011 16.8%	39.5 ***
Income	M40	55 65.50%	29 34.50%		47 56.0%	37 44.0%		48 57.1%	36 42.9%	
Reciprocity	Agree	4245 96.00%	179 4.00%	182.9 ***	3788 85.4%	647 14.6%	493.4 ***	4011 90.5%	421 9.5%	494.9 ***
	Disagree or "neutral"	1808 86.80%	275 13.20%		1269 60.8%	818 39.2%		1431 68.6%	656 31.4%	

*Int. J. Environ. Res. Public Health* **2022**, 19, 6604

Table 1. Cont.

Characteristics		Stress		Chi-Square		Anxiety		Depression		Chi-Square
		Normal	Mild, Moderate, Severe, and Extremely Severe		Normal	Mild, Moderate, Severe, and Extremely Severe		Normal	Mild, Moderate, Severe, and Extremely Severe	
Cooperation among community members	Agree	4616 96.90%	147 3.10%	408.3 ***	4138 86.7%	634 13.3%	855.3***	4383 91.9%	388 8.1%	903.8 ***
	Disagree or "neutral"	1443 82.60%	305 17.40%		924 52.6%	831 47.4%		1064 60.7%	689 39.3%	
Trust in community	Disagree or "neutral"	4182 97.80%	94 2.20%	435.0 ***	3792 88.5%	491 11.5%	867.8 ***	3999 93.3%	285 6.7%	883.0 ***
	Agree	1860 83.90%	356 16.10%		1254 56.4%	969 43.6%		1432 64.5%	788 35.5%	
Attached to local community	Disagree or "neutral"	4095 98.30%	70 1.70%	466.3 ***	3709 88.90%	461 11.10%	835.7 ***	3925 94.1%	247 5.9%	914.5 ***
	Agree	1970 84.40%	365 15.60%		1357 57.9%	986 42.1%		1526 65.2%	813 34.8%	

Note: \*\*\*, \*\* Significant at 1% and 5% significance level.

### References

- Sagar, R.; Dandona, R.; Gururaj, G.; Dhaliwal, R.; Singh, A.; Ferrari, A.; Dua, T.; Ganguli, A.; Varghese, M.; Chakma, J. The burden
  of mental disorders across the states of India: The global burden of disease study 1990–2017. *Lancet Psychiatry* 2020, 7, 148–161.
  [CrossRef]
- 2. Baingana, F.; Al'Absi, M.; Becker, A.E.; Pringle, B. Global research challenges and opportunities for mental health and substance-use disorders. *Nature* **2015**, *527*, S172–S177. [CrossRef] [PubMed]
- 3. WHO. COVID-19 Pandemic Triggers 25% Increase in Prevalence of Anxiety and Depression Worldwide. World Health Organization, 2022. Available online: https://www.who.int/news/item/02-03-2022-covid-19-pandemic-triggers-25-increase-in-prevalence-of-anxiety-and-depression-worldwide (accessed on 29 April 2022).
- 4. Lewis, G.; Hayes, J.J.L.P. Common mental disorders: Falling through the gap. Lancet Psychiatry 2019, 6, 636–637. [CrossRef]
- 5. Patel, V.; Kleinman, A.W.H.O. Poverty and common mental disorders in developing countries. *Bull. World Health Organ.* **2003**, *81*, 609–615. [PubMed]
- 6. Araya, R.; Lewis, G.; Rojas, G.; Fritsch, R. Education and income: Which is more important for mental health? *J. Epidemiol. Community Health* **2003**, *57*, 501–505. [CrossRef]
- 7. Lund, C.; Brooke-Sumner, C.; Baingana, F.; Baron, E.C.; Breuer, E.; Chandra, P.; Haushofer, J.; Herrman, H.; Jordans, M.; Kieling, C.; et al. Social determinants of mental disorders and the Sustainable Development Goals: A systematic review of reviews. *Lancet Psychiatry* 2018, 5, 357–369. [CrossRef]
- 8. Paananen, R.; Ristikari, T.; Merikukka, M.; Gissler, M. Social determinants of mental health: A Finnish nationwide follow-up study on mental disorders. *J. Epidemiol Community Health* **2013**, *67*, 1025–1031. [CrossRef]
- 9. Golberstein, E.J. The effects of income on mental health: Evidence from the social security notch. *J. Ment. Health Policy Econ.* **2015**, 18, 27.
- 10. Du, W.; Zhou, J.; Liu, J.; Yang, X.; Wang, H.; He, M.; Mao, Z.; Liu, X.J.S. Social-demographic correlates of the mental health conditions among the Chinese elderly. *Sustainability* **2019**, *11*, 7114. [CrossRef]
- 11. Williams, L.; Zhang, R.; Packard, K. Factors affecting the physical and mental health of older adults in China: The importance of marital status, child proximity, and gender. SSM Popul. Health 2017, 3, 20–36. [CrossRef]
- 12. Sareen, J.; Afifi, T.O.; McMillan, K.A.; Asmundson, G. Relationship between household income and mental disorders: Findings from a population-based longitudinal study. *JAMA Psychiatry* **2011**, *68*, 419–427. [CrossRef] [PubMed]
- 13. Lorant, V.; Deliège, D.; Eaton, W.; Robert, A.; Philippot, P.; Ansseau, M. Socioeconomic inequalities in depression: A meta-analysis. *Am. J. Epidemiol.* **2003**, *157*, 98–112. [CrossRef] [PubMed]
- 14. Elliott, I. Poverty and Mental Health: A review to Inform the Joseph Rowntree Foundation's Anti-Poverty Strategy; Mental Health Foundation: London, UK, 2016; pp. 1–110.
- 15. Hakulinen, C.; Elovainio, M.; Arffman, M.; Lumme, S.; Pirkola, S.; Keskimäki, I.; Manderbacka, K.; Böckerman, P. Mental disorders and long-term labour market outcomes: Nationwide cohort study of 2055720 individuals. *Acta Psychiatr. Scand.* **2019**, 140, 371–381. [CrossRef] [PubMed]
- 16. Mojtabai, R.; Stuart, E.A.; Hwang, I.; Susukida, R.; Eaton, W.W.; Sampson, N.; Kessler, R. Long-term effects of mental disorders on employment in the National Comorbidity Survey ten-year follow-up. *Soc. Psychiatry Psychiatr. Epidemiol.* **2015**, *50*, 1657–1668. [CrossRef]
- 17. Andrade, L.; Caraveo-Anduaga, J.J.; Berglund, P.; Bijl, R.V.; De Graaf, R.; Vollebergh, W.; Dragomirecka, E.; Kohn, R.; Keller, M.; Kessler, R.C.; et al. The epidemiology of major depressive episodes: Results from the International Consortium of Psychiatric Epidemiology (ICPE) Surveys. *Int. J. Methods Psychiatr. Res.* **2003**, *12*, 3–21. [CrossRef]
- 18. Ridley, M.W.; Rao, G.; Schilbach, F.; Patel, V.H. Poverty, depression, and anxiety: Causal evidence and mechanisms. *Natl. Bur. Econ. Res.* **2020**, *370*, eaay0214.
- 19. Domènech-Abella, J.; Mundó, J.; Leonardi, M.; Chatterji, S.; Tobiasz-Adamczyk, B.; Koskinen, S.; Ayuso-Mateos, J.L.; Haro, J.M. The association between socioeconomic status and depression among older adults in Finland, Poland and Spain: A comparative cross-sectional study of distinct measures and pathways. *J. Affect. Disord.* 2018, 241, 311–318. [CrossRef]
- 20. Layte, R. The association between income inequality and mental health: Testing status anxiety, social capital, and neo-materialist explanations. *Eur. Sociol. Rev.* **2011**, *28*, 498–511. [CrossRef]
- 21. Ribeiro, W.S.; Bauer, A.; Andrade, M.C.R.; York-Smith, M.; Pan, P.M.; Pingani, L.; Knapp, M.; Coutinho, E.S.F.; Evans-Lacko, S. Income inequality and mental illness-related morbidity and resilience: A systematic review and meta-analysis. *Lancet* **2017**, *4*, 554–562. [CrossRef]
- 22. Prince, M.J.; Harwood, R.H.; Blizard, R.A.; Thomas, A.; Mann, A.H. Social support deficits, loneliness and life events as risk factors for depression in old age. The Gospel Oak Project VI. *Psychol. Med.* **1997**, 27, 323–332. [CrossRef]
- 23. Kim, J.M.; Stewart, R.; Shin, I.S.; Yoon, J.S.; Lee, H.Y. Lifetime urban/rural residence, social support and late-life depression in Korea. *Int. J. Geriatr. Psychiatry* **2004**, *19*, 843–851. [CrossRef]
- 24. Harris, T.; Cook, D.G.; Victor, C.; Rink, E.; Mann, A.H.; Shah, S.; DeWilde, S.; Beighton, C.J.A. Predictors of depressive symptoms in older people—A survey of two general practice populations. *Ageing* **2003**, *32*, 510–518. [CrossRef] [PubMed]
- 25. Liang, H.; Yue, Z.; Liu, E.; Xiang, N. How does social capital affect individual health among the elderly in rural China? Mediating effect analysis of physical exercise and positive attitude. *PLoS ONE* **2020**, *15*, e0231318. [CrossRef] [PubMed]

- 26. Shen, Y.; Yeatts, D.E.; Cai, T.; Yang, P.Q.; Cready, C.M. Social capital and self-rated health among middle-aged and older adults in China: A multilevel analysis. *J. Aging Res.* **2014**, *36*, 497–521. [CrossRef] [PubMed]
- 27. Zhu, J.; Liang, C.; Lucas, J.; Cheng, W.; Zhao, Z.J.S. The Influence of income and social capital on the subjective well-being of elderly Chinese people, based on a panel survey. *Sustainability* **2020**, *12*, 4786. [CrossRef]
- 28. Muramatsu, N. County-level income inequality and depression among older Americans. *Health Serv. Res.* **2003**, *38*, 1863–1883. [CrossRef]
- 29. Kawachi, I.; Kennedy, B.P. Health and social cohesion: Why care about income inequality? BMJ 1997, 314, 1037–1040. [CrossRef]
- 30. Partap, U.; Young, E.H.; Allotey, P.; Soyiri, I.N.; Jahan, N.; Komahan, K.; Devarajan, N.; Sandhu, M.S.; Reidpath, D.D. HDSS profile: The South East Asia Community Observatory Health and Demographic Surveillance System (SEACO HDSS). *Int. J. Epidemiol.* 2017, 46, 1370–1371g. [CrossRef]
- 31. Musa, R.; Fadzil, M.A.; Zain, Z. Translation, validation and psychometric properties of Bahasa Malaysia version of the Depression Anxiety and Stress Scales (DASS). *ASEAN J. Psychiatry* **2007**, *8*, 82–89.
- 32. Donovan, S.A. *A Guide to Describing the Income Distribution*; Congressional Research Service: Washington, DC, USA, 2015; Volume 17, p. 617.
- 33. Goh, K.-L.; Tey, N. Personal income in Malaysia: Distribution and differentials. Econ. Bull. 2018, 38, 973–982.
- 34. Sun, X.; Rehnberg, C.; Meng, Q.J. How are individual-level social capital and poverty associated with health equity? A study from two Chinese cities. *Int. J. Equity Health* **2009**, *8*, 2. [CrossRef] [PubMed]
- 35. Yamaoka, K.J.S. Social capital and health and well-being in East Asia: A population-based study. *Soc. Sci. Med.* **2008**, *66*, 885–899. [CrossRef] [PubMed]
- 36. Aida, J.; Kondo, K.; Hirai, H.; Subramanian, S.; Murata, C.; Kondo, N.; Ichida, Y.; Shirai, K.; Osaka, K.J. Assessing the association between all-cause mortality and multiple aspects of individual social capital among the older Japanese. *BMC Public Health* **2011**, 11, 499. [CrossRef] [PubMed]
- 37. Nieminen, T.; Martelin, T.; Koskinen, S.; Aro, H.; Alanen, E.; Hyyppä, M.T. Social capital as a determinant of self-rated health and psychological well-being. *Int. J. Public Health* **2010**, *55*, 531–542. [CrossRef]
- 38. Kawachi, I.; Kennedy, B.P.; Glass, R. Social capital and self-rated health: A contextual analysis. *Am. J. Public Health* **1999**, 89, 1187–1193. [CrossRef]
- 39. Kohler, U.; Karlson, K.B.; Holm, A. Comparing coefficients of nested nonlinear probability models. *Stata J.* **2011**, *11*, 420–438. [CrossRef]
- 40. Breen, R.; Karlson, K.B.; Holm, A. Total, direct, and indirect effects in logit and probit models. *Sociol. Methods Res.* **2013**, 42, 164–191. [CrossRef]
- 41. Zolkifeli, Z.; Amin, A.J. Mental health and social capital among B40 groups in east coast of peninsular Malaysia. *Indian J. Public Health Res. Dev.* **2019**, *10*, 808–812. [CrossRef]
- 42. Zolkifeli, Z.; Amin, A.J. The effects of social capital and mental health on quality of life among low income group in urban areas in east coast of peninsula Malaysia. *Int. J. Res. Eng. Technol.* **2018**, *9*, 904–909.
- 43. Rizal, H.; Said, M.A.; Majid, A.H.; Su, T.T.; Pin, T.M.; Ismail, R.; Shah, M.A.Z. Health-related quality of life of younger and older lower-income households in Malaysia. *PLoS ONE* **2022**, *17*, e0263751. [CrossRef]
- 44. Tomita, A.; Burns, J.K. A multilevel analysis of association between neighborhood social capital and depression: Evidence from the first South African National Income Dynamics Study. *J. Affect. Disord.* **2013**, *144*, 101–105. [CrossRef] [PubMed]
- 45. Kim, S.-S.; Chung, Y.; Perry, M.J.; Kawachi, I.; Subramanian, S.V. Association between interpersonal trust, reciprocity, and depression in South Korea: A prospective analysis. *PLoS ONE* **2012**, *7*, e30602. [CrossRef] [PubMed]
- 46. Insel, T.R. Assessing the economic costs of serious mental illness. Am. J. Psychiatry 2008, 165, 663–665. [CrossRef] [PubMed]
- 47. Haseda, M.; Kondo, N.; Takagi, D.; Kondo, K.J.H. Community social capital and inequality in depressive symptoms among older Japanese adults: A multilevel study. *Health Place* **2018**, 52, 8–17. [CrossRef]
- 48. Wang, R.; Chen, H.; Liu, Y.; Lu, Y.; Yao, Y. Neighborhood social reciprocity and mental health among older adults in China: The mediating effects of physical activity, social interaction, and volunteering. *BMC Public Health* **2019**, *19*, 1036. [CrossRef]
- 49. Fyrand, L. Reciprocity: A predictor of mental health and continuity in elderly people's relationships? A review. *Curr. Gerontol. Geriatr. Res.* **2010**, 2010, 340161. [CrossRef]
- 50. Williams, A.; Kitchen, P. Sense of place and health in Hamilton, Ontario: A case study. *Soc. Indic. Res.* **2012**, *108*, 257–276. [CrossRef]
- 51. Wind, T.R.; Fordham, M.; Komproe, I.H. Social capital and post-disaster mental health. Glob. Health Action 2011, 4, 6351. [CrossRef]
- 52. Wind, T.R.; Joshi, P.C.; Kleber, R.J.; Komproe, I.H. The effect of the postdisaster context on the assessment of individual mental health scores. *Am. J. Orthopsychiatry* **2014**, *84*, 134–141. [CrossRef]
- 53. Fujiwara, T.; Natsume, K.; Okuyama, M.; Sato, T.; Kawachi, I. Do home-visit programs for mothers with infants reduce parenting stress and increase social capital in Japan? *J. Epidemiol. Community Health* **2012**, *66*, 1167. [CrossRef]
- 54. Coll-Planas, L.; Del Valle Gómez, G.; Bonilla, P.; Masat, T.; Puig, T.; Monteserin, R. Promoting social capital to alleviate loneliness and improve health among older people in Spain. *Health Soc. Care Community* **2017**, 25, 145–157. [CrossRef] [PubMed]
- 55. Ramli, M.; Salmiah, M.; Nurul, A.M. Validation and pychometric properties of Bahasa Malaysia version of the Depression Anxiety and Stress Scales (DASS) among diabetic patients. *MJP Online Early* **2009**, *8*, 1–7.

- 56. Musa, R.; Ramli, R.; Abdullah, K.; Sarkarsi, R. Concurrent validity of the depression and anxiety components in the Bahasa Malaysia version of the Depression Anxiety and Stress scales (DASS). *ASEAN J. Psychiatry* **2011**, *12*, 66–70.
- 57. De Miquel, C.; Domènech-Abella, J.; Felez-Nobrega, M.; Cristóbal-Narváez, P.; Mortier, P.; Vilagut, G.; Alonso, J.; Olaya, B.; Haro, J.M. The mental health of employees with job loss and income loss during the COVID-19 pandemic: The mediating role of perceived financial stress. *Int J. Environ. Res. Public Health* **2022**, *19*, 3158. [CrossRef] [PubMed]